



MEDINTECH PLUS

Homogeneous Vinyl Sheet

ArmstrongFlooring™

Healthcare | Commercial



Goodrich Global
SINCE 1983



LEADER



K811A-106 + K811A-533

Technical Specifications

CHARACTERISTICS

	STANDARD	UNIT	RESULT
Type of Flooring	ISO 10581		Homogeneous Sheet
Material			Polyvinyl Chloride
Coating			Diamond 10™

PERFORMANCE BEHAVIOUR

Sheet width	ISO 24341	m	2
Sheet length	ISO 24341	m	15 or 20
Overall thickness	ISO 24346	mm	2.0
Wear layer thickness	ISO 24340	mm	2.0
Total weight	ISO 23997	kg/m ²	2.8
Binder content	ISO 10581	Type	Type I
Residual indentation	ISO 24343-1	mm	0.03
Dimensional stability	ISO 23999	-	X: < 0.4% ; Y: < 0.4%
Impact sound insulation	ISO 717-2	dB	3
Colour fastness	ISO 105-B02	rating	≥ 6
Resistance to staining	ISO 26987	-	No Stain 0
Static electrical properties	EN 1815	kV	≤2.0

SAFETY CRITERIA

Flammability	EN 13501-1	class	Bfl-s1
Slip resistance	DIN 51130 / DIN EN 16165	group	R9
Dynamic coefficient of friction	EN 13893 / EN 14041	class	DS

CLASSIFICATION

Domestic	ISO 10874	class	23 heavy duty
Commercial	ISO 10874	class	34 very heavy duty
Industrial	ISO 10874	class	43 heavy duty

CERTIFICATIONS



No high-risk carcinogens detected



Release in 28 days
<5 µg/m³



LEADER
SGBP 4142



Medintech Plus


STOCKING



K811A-002

WR : W811-002


Silver Grey



K811A-003

WR : W811-003

Smoke



K811A-004

WR : W811-004

Rock



Medintech Plus


STOCKING



K811A-106

WR : W811-106

Freesia Pearl



K811A-533

WR : W811-533

Turquoise



K811A-210 + K811A-211 + K811A-214

Medintech Plus

STOCKING



K811A-210
WR : W811-210

Almond



K811A-211
WR : W811-211

Oatmeal



K811A-214
WR : W811-214

Light Beige

Copyright© 09/2026 Goodrich Global. All rights reserved.

Stay Connected - www.goodrichglobal.com | info@goodrichglobal.com

Singapore (HQ) | Malaysia | Thailand | Vietnam | India | Indonesia | United Arab Emirates | Philippines | China | Hong Kong (China)

