



NOVA DRYBACK

GEFF LVT DRYBACK





GEFF Nova Dryback



Antibacterial (JIS Standard)




Certified Low VOCs



Easier Maintenance



Easy Installation



Technical Specifications

Wear layer thickness Squareness and straightness Dimensional stability after exposure Curling after exposure to heat Usage classification Abrasion resistance Slip resistance Color fastness to artificial light Flexibility Effect of castor chair Chemical resistance Resistance to staining Heavy metals Phthalate Formaldehyde emission	Size	
Squareness and straightness Dimensional stability after exposure Curling after exposure to heat Usage classification Abrasion resistance Slip resistance Color fastness to artificial light Flexibility Effect of castor chair Chemical resistance Resistance to staining Heavy metals Phthalate Formaldehyde emission	Overall thickness	
Dimensional stability after exposure Curling after exposure to heat Usage classification Abrasion resistance Slip resistance Color fastness to artificial light Flexibility Effect of castor chair Chemical resistance Resistance to staining Heavy metals Phthalate Formaldehyde emission	Wear layer thicknes	S
Curling after exposure to heat Usage classification Abrasion resistance Slip resistance Color fastness to artificial light Flexibility Effect of castor chair Chemical resistance Resistance to staining Heavy metals Phthalate Formaldehyde emission	Squareness and stra	aightness
Usage classification Abrasion resistance Slip resistance Color fastness to artificial light Flexibility Effect of castor chair Chemical resistance Resistance to staining Heavy metals Phthalate Formaldehyde emission	Dimensional stability	y after exposure
Abrasion resistance Slip resistance Color fastness to artificial light Flexibility Effect of castor chair Chemical resistance Resistance to staining Heavy metals Phthalate Formaldehyde emission	Curling after exposu	re to heat
Color fastness to artificial light Flexibility Effect of castor chair Chemical resistance Resistance to staining Heavy metals Phthalate Formaldehyde emission	Usage classification	
Color fastness to artificial light Flexibility Effect of castor chair Chemical resistance Resistance to staining Heavy metals Phthalate Formaldehyde emission	Abrasion resistance	
Flexibility Effect of castor chair Chemical resistance Resistance to staining Heavy metals Phthalate Formaldehyde emission	Slip resistance	
Effect of castor chair Chemical resistance Resistance to staining Heavy metals Phthalate Formaldehyde emission	Color fastness to art	ificial light
Chemical resistance Resistance to staining Heavy metals Phthalate Formaldehyde emission	Flexibility	
Resistance to staining Heavy metals Phthalate Formaldehyde emission	Effect of castor chai	r
Heavy metals Phthalate Formaldehyde emission	Chemical resistance)
Phthalate Formaldehyde emission	Resistance to stainii	ng
Formaldehyde emission	Heavy metals	
	Phthalate	
Fire classification	Formaldehyde emis	sion
	Fire classification	
Underfloor heating	Underfloor heating	
SVHC	SVHC	

Standard
EN ISO 24342
EN ISO 24346
EN ISO 24340
EN ISO 24342
EN ISO 23999
EN ISO 23999
EN ISO 10874
EN 660-2
EN 13893
DIN 51130
EN ISO 105 B02
EN ISO 24344
ISO 4918
EN ISO 26987
EN ISO 26987
EN 13501-1
REACH
DIBT/AgBB
French VOC Regulation
California Specification 01350

Nova Dryback
Deviation ≤0.15%
3.0 mm
0.55 mm
Pass
≤0.25%
≤2 mm
23,33,42
Group T
DS
R10
≥6
20 mm
Pass
GOOD
GOOD
ND
ND
E1
Bfl-s1
Not more than 28 °C
Pass
Pass
A+
Pass







 $^{^*}$ Images and renderings in this sample book are for illustration purpose and may not represent the real colour.

Stocking



Size 304.8 x 609.6 mm **Package** (18pcs/Box) (3.34sqm/Box)



GND-001 Grey Anthracite



GND-002 Cold Cement

Size 609.6 x 609.6 mm **Package** (10pcs/Box) (3.72sqm/Box)




GND-007 Galaxy







Stocking



Size 184.15 x 1219.2 mm **Package** (15pcs/Box) (3.37sqm/Box)



GND-003 Ash Grey



GND-006 Sunbleached

Size 184.15 x 1219.2 mm **Package** (15pcs/Box) (3.37sqm/Box)




GND-004 Oak



GND-005 Maple










GND-001 Grey Anthracite 304.8 x 609.6 mm (18pcs/Box) (3.34sqm/Box)






GND-002 Cold Cement 304.8 x 609.6 mm (18pcs/Box) (3.34sqm/Box)






GND-007 Galaxy 609.6 x 609.6 mm (10pcs/Box) (3.72sqm/Box)





GND-008 Terrazzo 609.6 x 609.6 mm (10pcs/Box) (3.72sqm/Box)





GND-003 Ash Grey 184.15 x 1219.2 mm (15pcs/Box) (3.37sqm/Box)






GND-004 Oak 184.15 x 1219.2 mm (15pcs/Box) (3.37sqm/Box)





GND-005 Maple 184.15 x 1219.2 mm (15pcs/Box) (3.37sqm/Box)





GND-006 Sunbleached 184.15 x 1219.2 mm (15pcs/Box) (3.37sqm/Box)

