



NIRO

Ecofloor

Carpet Tile

Commercial | Hospitality | Residential



Goodrich Global
SINCE 1983





Niro: Rhythm of Light



Scan for E-Catalogue

Niro is inspired by the quiet beauty of light moving across the city and nature throughout the day. Against a sophisticated grey background, delicate linear accents emerge like fleeting moments of color—subtle, dynamic and full of life.

The design captures the rhythm of modern spaces: the cool blue of dawn skies, the fresh greens of foliage, and the warm orange glow of sunset. These accents appear organically across the floor, creating a sense of movement while maintaining a calm and elegant foundation.

NIRO is designed to transform commercial interiors into spaces that feel both contemporary and welcoming. The restrained grey base provides versatility, while the scattered color highlights introduce energy, creativity, and personality without overwhelming the environment.

A collection that celebrates the beauty of subtle contrasts—dark and light, calm and vibrant, urban and natural. Each tile is a brushstroke of color within a larger canvas, allowing designers to create spaces that are sophisticated yet expressive.

Niro

Technical Specifications

Collection Name	Niro
Yarn	100% Polyester
Construction	Multi Level Loop
Dye Method	Solution Dyed
Gauge	1/10 inch
Stitches Per Inch	12 per inch
Pile Height	3 mm (+/-0.5 mm)
Total Height	5.5 mm (+/-0.5 mm)
Pile Weight	16 oz/sy (544 gm/sm)
Total Weight	88 oz/sy (3300 gm/sm +/- 200 gm/sm)
Primary Backing	Non-woven
Secondary Backing	Polyolefin Bac
Packing	20 pcs(5 sm/box)

Performance Specifications

Colorfastness	Grade 5 - No Change (AATCC 16)
Flammability	Class I (ASTM E648)
Smoke Density	Passed (ASTM E662)
Static Propensity	≤3.5 kV (AATCC-134)
SGBC	Very Good ✓✓
Warranty	Limited 10 years warranty

Installation Method




Herringbone



Ashlar

Performance Comparison

Feature	Nylon 6	PolyLux	Polypropylene
Heat Resistance	★★	★★	★
Flame Resistance	★★	★★	★
Stain Resistance	★ (exception for stain resistance treated nylon)	★★★	★★
Hydrophobic Property (Low moisture absorption, speeds drying, and reduces mold risk)	★★	★★★	★★★
Resiliency	★★★★	★★	★



NR300 Ash



NR301 Sapphire



NR302 Ruby



NR400 Mist



NR401 Citrus



NR402 Tangerine



NR403 Forest




VERY GOOD
SGBP 5493

Polyolefin Bac


Carpet Tile Backing

Polyolefin Bac takes your spaces to a higher standard of sustainability to support greater wellness for people and planet. The Polyolefin Bac Pro carpet tile contains recycled content, helping to eliminate the plastic waste stream. It offers superior performance and sustainability to the carpets.



Advantages


- **Comfortable Underfoot**
Cushion backing tile helps reduce fatigue
- **Noise Reduction**
Absorbs sound for better acoustics
- **Dimensional Stability**
Maintains shape and appearance
- **Hydrophobic Cushion Backing**
Repels moisture, prevents damage
- **Eco-friendly Materials**
No plasticizers, PVC, or bitumen
- **Sustainable Backing**
Made from 100% recycled PET bottles
- **Green Building Support**
Contributes to LEED®, WELL & more
- **Certified Performance**
CRI Green Label Plus & low carbon
- **Lightweight & Efficient**
Easier shipping, lower freight cost.




Note:

- Product specifications are based on standard manufacturing tolerances. Slight variations may occur but will not impact performance.
- As with all quality carpets, minor color differences may appear between dye lots.
- To maintain appearance and minimize wear, the use of protective chair pads is recommended under office chairs with castor wheels.

Size 25 x 100 cm



NR400 Mist




NR401 Citrus

Size 25 x 100 cm




NR402 Tangerine




NR403 Forest

Stocking


Size 25 x 100 cm



NR300 Ash



NR301 Sapphire



NR302 Ruby







NR400 Mist (25%) + NR401 Citrus (25%) + NR402 Tangerine (25%) + NR403 Forest (25%) | Ashlar Installation

* Images and renderings in this sample book are for illustration purpose and may not represent the real colour.



NR400 Mist (70%) + NR401 Citrus (30%) | Ashlar Installation

* Images and renderings in this sample book are for illustration purpose and may not represent the real colour.



