

GOODRICH SOLUTIONS
WALLCOVERING
163 | AURA



Goodrich Global
SINCE 1983

FABRIC BACKED VINYL TYPE I

WIDEWALL



*We've got you
Covered!*

WIDEWALL
2026 ~ 2029

COMMERCIAL | HOSPITALITY | RESIDENTIAL



CHIN STRAWS

WIDEWALL AURA

54" Fabric-Backed Contract Wallcovering

PHYSICAL PROPERTIES

Weight	15 oz. PLY
Roll Size	52"-54" x 30yds
Backing	Scrim / Non-Woven

Meets or exceeds Federal Specification CCC-W-408D physical characteristics for Type I Wallcovering

FIRE SAFETY

- Class "A" fire rated - tested in accordance with ASTM E-84 Tunnel test
- Flame spread: 25 / Smoke developed: 45

ENVIRONMENTAL AND HEALTH

WIDEWALL AURA is an environmentally friendly product as it has eliminated all heavy metals such as lead, mercury, cadmium and chromium.

BATCHING

Since slight variations in color may occur between different production batches, it is important that in one single area, rolls from the same production batch are used.

OTHER CHARACTERISTICS

- A mildew inhibiting additive has been added to help protect against fungal and other microbiological growth.
- **WIDEWALL AURA** is supplied with a 5 years warranty against manufacturing defects
- **WIDEWALL AURA** can be microvented, with 600 yards minimum requirement, for enhanced permeability.

ORIGIN

China



Widewall
Aura

FURROW



MATRIX



Widewall
Aura

ORGANZA



**WIDEWALL
AURA**

WRA5501
MIRAGE


ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Match



**WIDEWALL
AURA**

WRA5502
MIRAGE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Match



**WIDEWALL
AURA**

WRA5503
MIRAGE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Match

**WIDEWALL
AURA**

WRA5504
GILDED LOOM

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5505
GILDED LOOM

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5506
GILDED LOOM

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
MIXTURE**

WRA5507
ORGANZA

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Non-woven
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
MIXTURE**

WRA5508
ORGANZA

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Non-woven
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
MIXTURE**

WRA5509
ORGANZA

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Non-woven
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
MIXTURE**

WRA5510
ORGANZA

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Non-woven
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
MIXTURE**

WRA5511
ORGANZA

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Non-woven
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

WIDEWALL
AURA

WRA5512

ELISE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5513
ELISE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5514
ELISE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5515
FURROW

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5516
FURROW

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5517
FURROW

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5518
FURROW

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5519
RAMIE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5520
RAMIE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5521
RAMIE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5522

LINEN TEXTURE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5523

LINEN TEXTURE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5524

LINEN TEXTURE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5525
TWILL

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5526
TWILL

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
AURA

WRA5527
MAISON

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5528
MAISON

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5529
VEIL

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5530
VEIL

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5531
VEIL

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random



**WIDEWALL
AURA**

WRA5532
BALINESE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random



**WIDEWALL
AURA**

WRA5533
BALINESE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5534
MATRIX

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5535
MATRIX

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5536

FLOWLUX

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5537
FLOWLUX

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5538
FLOWLUX

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5539
HARMONY

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5540
HARMONY

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5541
HARMONY

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5542
HARMONY

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5543

WOOD GRAIN

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5544
WOOD GRAIN

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random



**WIDEWALL
AURA**

WRA5545
RAW SILKEN

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5546

RAW SILKEN

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

**WIDEWALL
AURA**

WRA5547
RAW SILKEN

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random



**WIDEWALL
MIXTURE**

WRA5548
BANYAN

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Non-woven
WEIGHT:	15oz
PATTERN MATCH:	Straight Random



**WIDEWALL
MIXTURE**

WRA5549
BANYAN

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Non-woven
WEIGHT:	15oz
PATTERN MATCH:	Straight Random



**WIDEWALL
MIXTURE**

WRA5550
BANYAN

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Non-woven
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5551
RATTAN

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5552
RATTAN

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Random

**WIDEWALL
AURA**

WRA5553
BRUSHSTROKE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Match

**WIDEWALL
AURA**

WRA5554
BRUSHSTROKE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Match

**WIDEWALL
AURA**

WRA5555

BRUSHSTROKE

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Scrim
WEIGHT:	15oz
PATTERN MATCH:	Straight Match

RAMIE



RATTAN



VEIL



BRUSHSTROKE



Widewall
Aura

TWILL



MIRAGE



BANYAN



GILDED LOOM



Widewall
Aura




Breathing Wallcoverings

MICROVENTED WALLCOVERING

In Accordance to
ASTM E96 TEST METHOD

During warm months, hot humid air penetrates through exterior walls. Unable to pass through a layer of non-permeable wallcovering surface, the hot humid air contacts the cool surface and condenses inside the wall cavity. This provides the moisture needed for mold growth. During cold months, this system is reversed. Moist air trapped in the building condenses on the cool interior walls.



Microvented Technology

Microvented technology can be used to form 250,000 micro holes per square meter of wallcoverings

Excellent Permeability

Microvented wallcovering are permeable to allow reducing the changes of the mold growth moist air to flow through freely. Once in the building, the HVAC system will be able to remove the moisture.

Water Vapour Permeability	Non-Woven W/C	Microvented Vinyl W/C
Average g/(day.m2)	1110	154
Average expressed in U S Perms	159	22

WIDEWALL(INDEX)

AURA

No	Pattern No	Pattern Name	Weight (Oz)	Pattern Repeat (In)		Pattern Match	Backing	Roll Size
				Vertical	Horizontal			
1	WRA5501	Mirage	15 oz	25.2	53.15	Straight Match	Scrim	52"-54" x 30yds
2	WRA5502	Mirage	15 oz	25.2	53.15	Straight Match	Scrim	52"-54" x 30yds
3	WRA5503	Mirage	15 oz	25.2	53.15	Straight Match	Scrim	52"-54" x 30yds
4	WRA5504	Gilded Loom	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
5	WRA5505	Gilded Loom	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
6	WRA5506	Gilded Loom	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
7	WRA5507	Organza	15 oz	-	-	Straight Random	Non-Woven	52"-54" x 30yds
8	WRA5508	Organza	15 oz	-	-	Straight Random	Non-Woven	52"-54" x 30yds
9	WRA5509	Organza	15 oz	-	-	Straight Random	Non-Woven	52"-54" x 30yds
10	WRA5510	Organza	15 oz	-	-	Straight Random	Non-Woven	52"-54" x 30yds
11	WRA5511	Organza	15 oz	-	-	Straight Random	Non-Woven	52"-54" x 30yds
12	WRA5512	Elise	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
13	WRA5513	Elise	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
14	WRA5514	Elise	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
15	WRA5515	Furrow	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
16	WRA5516	Furrow	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
17	WRA5517	Furrow	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
18	WRA5518	Furrow	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
19	WRA5519	Ramie	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
20	WRA5520	Ramie	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
21	WRA5521	Ramie	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
22	WRA5522	Linen Texture	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
23	WRA5523	Linen Texture	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
24	WRA5524	Linen Texture	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
25	WRA5525	Twill	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
26	WRA5526	Twill	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
27	WRA5527	Malson	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
28	WRA5528	Malson	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
29	WRA5529	Veil	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
30	WRA5530	Veil	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
31	WRA5531	Veil	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
32	WRA5532	Balinese	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
33	WRA5533	Balinese	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
34	WRA5534	Matrix	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
35	WRA5535	Matrix	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
36	WRA5536	Flowlux	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
37	WRA5537	Flowlux	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
38	WRA5538	Flowlux	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
39	WRA5539	Harmony	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
40	WRA5540	Harmony	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
41	WRA5541	Harmony	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
42	WRA5542	Harmony	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
43	WRA5543	Wood grain	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
44	WRA5544	Wood grain	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
45	WRA5545	Raw Silken	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
46	WRA5546	Raw Silken	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
47	WRA5547	Raw Silken	15 oz	-	-	Reverse Random	Scrim	52"-54" x 30yds
48	WRA5548	Banyan	15 oz	-	-	Straight Random	Non-Woven	52"-54" x 30yds
49	WRA5549	Banyan	15 oz	-	-	Straight Random	Non-Woven	52"-54" x 30yds
50	WRA5550	Banyan	15 oz	-	-	Straight Random	Non-Woven	52"-54" x 30yds
51	WRA5551	Rattan	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
52	WRA5552	Rattan	15 oz	-	-	Straight Random	Scrim	52"-54" x 30yds
53	WRA5553	Brushstroke	15 oz	25.2	53.15	Straight Match	Scrim	52"-54" x 30yds
54	WRA5554	Brushstroke	15 oz	25.2	53.15	Straight Match	Scrim	52"-54" x 30yds
55	WRA5555	Brushstroke	15 oz	25.2	53.15	Straight Match	Scrim	52"-54" x 30yds

Installation and Maintenance Guidelines

BEFORE YOU BEGIN

Examine the material carefully to ensure that the pattern, colour, and quality are satisfactory and as ordered. Check that the quantity and dimensions match the required specifications, prior to cutting. In the event that any discrepancies are found, STOP and contact Goodrich Global before proceeding.

We recommend that the wall moisture content does not exceed 4% using a reputable moisture meter, and that active moisture infiltration, condensation, and/or accumulation - particularly in warm, humid climates - is not present. If walls show mould, mildew or visible moisture damage, or if moisture content exceeds recommendations, do not proceed with installation until the condition has been fully corrected under the direction of a qualified professional. Goodrich Global will not be responsible for any performance or quality issues if moisture problems are not addressed before or following installation.

HANGING GUIDELINES

Wallcovering rolls are numbered consecutively and should be cut and installed in reverse sequence, starting with the highest numbered roll. All strips should be hung in sequence as they are cut from the roll, using full widths of material, whenever possible. Install the wallcovering under permanent lighting conditions to evaluate colour and texture uniformity.

When hanging non-reversible or matching patterns, measure the wall height, allowing for pattern match, add 4", and trim using a straight edge to ensure alignment across seams. Large, dominant pattern repeats require more careful planning as far as starting point, ceiling line, chair rails, door/window headers, etc. Patterns are meant to match at eye level and may run off slightly at the top and bottom of the wall. When hanging textured or random-match patterns, reverse hang alternate strips for a more uniform appearance; overlap and double cut, being careful not to score the wall. If the pattern effect is not acceptable after three strips are hung, re-hang strip #2 without reversing.

If any defect, colour variation, or unacceptable pattern effect is noticeable after three panels are cut and hung, STOP and contact Goodrich Global immediately. Goodrich Global cannot accept any claims on labour or material after more than three lengths have been installed.

ADHESIVE APPLICATION

Apply a uniform coat of a premixed vinyl wallcovering adhesive to the back of the material using a short-napped paint roller or stiff bristle brush (a pasting machine can be used at the installer's discretion). Goodrich WA203 adhesive is recommended for heavyweight vinyl wallcovering. Fold each sheet over and allow up to 10 minutes booking time for the adhesive to penetrate the backing of the lightweight vinyl material (up to 15 minutes for heavyweight vinyl), and to avoid paste drying at the edges.

WA203 READY MIXED Clear Strippable Wallcovering Adhesive

has been specially formulated for use with the most types and weights of wallcoverings, including LUXURY VINYLs (both paper and fabric backed), TEXTILES, HESSIANS, NON-WOVENS, and COMMERCIAL WALLCOVERINGS.

Recommended for use with all kinds of wallcoverings.

COVERAGE

Approximately 7 square meters per kg.
Very Low VOC (g/L per ISO 11890-2)

CERTIFICATIONS

Singapore Green Building Product - SGBC Very Good

California Department of Public Health (CDPH) Standard Method v1.2 Certified

NSF/ANSI 642 Sustainability Standard Certified



INSTALLATION

Hang the first strip to a plumb line, overlapping the ceiling and baseboard, within 12 minutes of paste application. Use a stiff bristle brush to ensure that the wallcovering makes contact with the wall. A plastic smoother can also be used on non-metallic Vinyls, providing only light pressure is applied (do not use sharp-edged tools). Smooth from the middle to the outside edges, being careful not to stretch the material, and work out all air bubbles. Trim at the ceiling and baseboard with a sharp razor blade. For matched patterns, butt the second strip to the edge of the first and smooth out firmly. When double cutting non-matching patterns, place a 2-3" wide strip behind the seam to avoid scoring the wall. Flatten seams exerting light pressure with a seam roller. Low-adhesive painter's tape can be used to keep the face of the seams clean. Before applying the next strip, trim the top and bottom as with the first panel, and proceed in the same manner around the room.

Avoid cutting narrow widths of material for placement above doors and below windows. Vertical joints should not occur less than six inches from inside or outside corners. When trimming at chair rails and ceilings, always use a broad knife rather than a straight edge. Take extra care in keeping the adhesive off the face of the wallcovering.

Remove excess adhesive immediately with a natural sponge, frequently rinsed in clear, warm water, and dry with a soft, lint free cloth. After installation, the walls and wallcovering should be monitored for potential moisture or vapour infiltration, which must be promptly eliminated.

MAINTENANCE

Most wallcovering is easily cleaned using clear, warm water and mild soap with a natural sponge. A soft cloth or towel should only be used to tamp dry (do not rub). Stubborn stains can be removed with a laundry spot remover or rubbing alcohol. Do not use solvent-based cleaning agents, lacquer thinners, nail polish remover, pine oil, or cleaning agents containing bleach, which may cause discoloration over time.

Note: The above is intended only as a guideline. Wallcovering installations must conform to current hanging instructions included with each shipment. The installer has final responsibility for proper installation and evaluation of jobsite conditions.

GOODRICH SOLUTIONS
WALLCOVERING
163 | AURA

**WITH
GOODRICH,**

Your habitat becomes

A gallery of

Your **self-expressions;**

A canvas for

Your **creativity;**

A space for

Your **soul;**

A showcase of

Your **taste for life;**

WIDEWALL

Stay Connected - www.goodrichglobal.com | info@goodrichglobal.com

 /GoodrichGlobalSingapore

 /goodrich_global

 /GoodrichGlobal

 /goodrichglobal

 /GoodrichGlobal

 /goodrichglobal

 /GoodrichGlobalOfficial

SINGAPORE [HQ] | MALAYSIA | THAILAND | VIETNAM | INDIA | INDONESIA | UNITED ARAB EMIRATES | PHILIPPINES | CHINA | HONG KONG (CHINA)

Copyright © 2020 Goodrich Global. All rights reserved.