GOODRICH SOLUTIONS

WALLCOVERING

162 | VIBRANT

goodrich®

Goodrich Global

SINCE 1983

FABRIC BACKED VINYL TYPE I

WIDEWALL



We've got you **Covered!**

WIDEWALL

2025 - 2028


COMMERCIAL | HOSPITALITY | RESIDENTIAL

LONG GRAIN

FOREST







WIDEWALL **VIBRANT**

54" Fabric-Backed Vinyl Contract Wallcovering

PHYSICAL PROPERTIES

Weight 15 oz./PLY
Roll Size 54" x 30yds
Backing Sheeting
Meets or exceeds Federal Specification CCC-W-408D physical characteristics for Type I Wallcovering

FIRE SAFETY

- Class 0/1 – BS476 PART6/7
- Class "A" – ASTM E-84
  Flame Spread 15; Smoke Developed 30

ENVIRONMENTAL AND HEALTH

- **Widewall Vibrant** is an environmental - green product as it has eliminated all heavy metals such as lead, mercury, cadmium and chromium.

BATCHING

Since slight variations in color may occur between different production batches, it is important than in one single area, rolls from the same production batch are used.

OTHER CHARACTERISTICS

- Contains antimicrobial additives to resist the growth of mildew and bacteria. Passed ASTM G21. These additives will not prevent mold growth if residual wall moisture is in excess of 4% and/or is allowed to accumulate in or behind the walls.

- **WideWall Vibrant** is supplied with a 5 years warranty against manufacturing defects.

ORIGIN

Made in Thailand, Designed in USA

Vibrant Specification

SIAM



SAFARI GRASS



REFLECTION



Vibrant Collection

SILK SAREE



WIDEWALL
VIBRANT

WVA5401
FLUTED

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5402
FLUTED

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5403
FLUTED

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5404
FLUTED

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5405
FLUTED

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5406
FLUTED

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5407
REFLECTION

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5408
REFLECTION

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5409
REFLECTION

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5410
REFLECTION

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5411

JACQUARD

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5412

JACQUARD

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5413
JACQUARD

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5414

SILK SAREE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5415

SILK SAREE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5416

SILK SAREE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5417

SILK SAREE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random



WIDEWALL
VIBRANT

WVA5418

SILK SAREE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5419
CONCRETE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5420
CONCRETE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5421

LONG GRAIN

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5422

LONG GRAIN

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5423

LONG GRAIN

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5424

SAFARI GRASS

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5425

SAFARI GRASS


ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5426

SAFARI GRASS

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random



WIDEWALL
VIBRANT

WVA5427

SAFARI GRASS

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5428

SIAM

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5429

SIAM

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5430

SIAM

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5431
MELANGE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5432
MELANGE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5433
MELANGE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5434
MELANGE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5435
MELANGE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5436

FRESH CANVAS

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5437

FRESH CANVAS

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5438

FRESH CANVAS

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5439

FRESH CANVAS

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5440

FRESH CANVAS

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5441
CEMENT

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5442
CEMENT

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5443
CEMENT

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5444
CEMENT

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5445
OUTLINE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5446
OUTLINE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5447
OUTLINE

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5448
FOREST

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5449
FOREST

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5450
FOREST

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5451
FOREST

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5452
FOREST

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5453

DIGITAL PRINTING

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5454

DIGITAL PRINTING

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

WIDEWALL
VIBRANT

WVA5455

DIGITAL PRINTING

ROLL SIZE:	54” x 30yds
COMPOSITION:	Vinyl
BACKING:	Sheeting
WEIGHT:	15oz
PATTERN MATCH:	Reverse Random

JACQUARD



CEMENT



CONCRETE



OUTLINE



Vibrant
Collection

WIDEWALL (INDEX)

Vibrant

Page	Pattern No	Pattern Name	Weight (oz/yd)	Pattern Repeat (In)		Pattern Match	Backing	Roll Size
				Horizontal	Vertical			
1	WVA5401	Fluted	15	0	0	Reverse Random	Sheeting	54" x 30yds
2	WVA5402	Fluted	15	0	0	Reverse Random	Sheeting	54" x 30yds
3	WVA5403	Fluted	15	0	0	Reverse Random	Sheeting	54" x 30yds
4	WVA5404	Fluted	15	0	0	Reverse Random	Sheeting	54" x 30yds
5	WVA5405	Fluted	15	0	0	Reverse Random	Sheeting	54" x 30yds
6	WVA5406	Fluted	15	0	0	Reverse Random	Sheeting	54" x 30yds
7	WVA5407	Reflection	15	0	0	Reverse Random	Sheeting	54" x 30yds
8	WVA5408	Reflection	15	0	0	Reverse Random	Sheeting	54" x 30yds
9	WVA5409	Reflection	15	0	0	Reverse Random	Sheeting	54" x 30yds
10	WVA5410	Reflection	15	0	0	Reverse Random	Sheeting	54" x 30yds
11	WVA5411	Jacquard	15	0	0	Reverse Random	Sheeting	54" x 30yds
12	WVA5412	Jacquard	15	0	0	Reverse Random	Sheeting	54" x 30yds
13	WVA5413	Jacquard	15	0	0	Reverse Random	Sheeting	54" x 30yds
14	WVA5414	Silk Saree	15	0	0	Reverse Random	Sheeting	54" x 30yds
15	WVA5415	Silk Saree	15	0	0	Reverse Random	Sheeting	54" x 30yds
16	WVA5416	Silk Saree	15	0	0	Reverse Random	Sheeting	54" x 30yds
17	WVA5417	Silk Saree	15	0	0	Reverse Random	Sheeting	54" x 30yds
18	WVA5418	Silk Saree	15	0	0	Reverse Random	Sheeting	54" x 30yds
19	WVA5419	Concrete	15	0	0	Reverse Random	Sheeting	54" x 30yds
20	WVA5420	Concrete	15	0	0	Reverse Random	Sheeting	54" x 30yds
21	WVA5421	Long Grain	15	0	0	Reverse Random	Sheeting	54" x 30yds
22	WVA5422	Long Grain	15	0	0	Reverse Random	Sheeting	54" x 30yds
23	WVA5423	Long Grain	15	0	0	Reverse Random	Sheeting	54" x 30yds
24	WVA5424	Safari Grass	15	0	0	Reverse Random	Sheeting	54" x 30yds
25	WVA5425	Safari Grass	15	0	0	Reverse Random	Sheeting	54" x 30yds
26	WVA5426	Safari Grass	15	0	0	Reverse Random	Sheeting	54" x 30yds
27	WVA5427	Safari Grass	15	0	0	Reverse Random	Sheeting	54" x 30yds
28	WVA5428	Siam	15	0	0	Reverse Random	Sheeting	54" x 30yds
29	WVA5429	Siam	15	0	0	Reverse Random	Sheeting	54" x 30yds
30	WVA5430	Siam	15	0	0	Reverse Random	Sheeting	54" x 30yds
31	WVA5431	Melange	15	0	0	Reverse Random	Sheeting	54" x 30yds
32	WVA5432	Melange	15	0	0	Reverse Random	Sheeting	54" x 30yds
33	WVA5433	Melange	15	0	0	Reverse Random	Sheeting	54" x 30yds
34	WVA5434	Melange	15	0	0	Reverse Random	Sheeting	54" x 30yds
35	WVA5435	Melange	15	0	0	Reverse Random	Sheeting	54" x 30yds
36	WVA5436	Fresh Canvas	15	0	0	Reverse Random	Sheeting	54" x 30yds
37	WVA5437	Fresh Canvas	15	0	0	Reverse Random	Sheeting	54" x 30yds
38	WVA5438	Fresh Canvas	15	0	0	Reverse Random	Sheeting	54" x 30yds
39	WVA5439	Fresh Canvas	15	0	0	Reverse Random	Sheeting	54" x 30yds
40	WVA5440	Fresh Canvas	15	0	0	Reverse Random	Sheeting	54" x 30yds
41	WVA5441	Cement	15	0	0	Reverse Random	Sheeting	54" x 30yds
42	WVA5442	Cement	15	0	0	Reverse Random	Sheeting	54" x 30yds
43	WVA5443	Cement	15	0	0	Reverse Random	Sheeting	54" x 30yds
44	WVA5444	Cement	15	0	0	Reverse Random	Sheeting	54" x 30yds
45	WVA5445	Outline	15	0	0	Reverse Random	Sheeting	54" x 30yds
46	WVA5446	Outline	15	0	0	Reverse Random	Sheeting	54" x 30yds
47	WVA5447	Outline	15	0	0	Reverse Random	Sheeting	54" x 30yds
48	WVA5448	Forest	15	0	0	Reverse Random	Sheeting	54" x 30yds
49	WVA5449	Forest	15	0	0	Reverse Random	Sheeting	54" x 30yds
50	WVA5450	Forest	15	0	0	Reverse Random	Sheeting	54" x 30yds
51	WVA5451	Forest	15	0	0	Reverse Random	Sheeting	54" x 30yds
52	WVA5452	Forest	15	0	0	Reverse Random	Sheeting	54" x 30yds
53	WVA5453	Digital Printing	15	0	0	Reverse Random	Sheeting	54" x 30yds
54	WVA5454	Digital Printing	15	0	0	Reverse Random	Sheeting	54" x 30yds
55	WVA5455	Digital Printing	15	0	0	Reverse Random	Sheeting	54" x 30yds

Installation and Maintenance Guidelines

BEFORE YOU BEGIN

Examine the material carefully to ensure that the pattern, colour, and quality are satisfactory and as ordered. Check that the quantity and dimensions match the required specifications, prior to cutting. In the event that any discrepancies are found, STOP and contact Goodrich Global before proceeding.

We recommend that the wall moisture content does not exceed 4% using a reputable moisture meter, and that active moisture infiltration, condensation, and/or accumulation - particularly in warm, humid climates - is not present. If walls show mould, mildew or visible moisture damage, or if moisture content exceeds recommendations, do not proceed with installation until the condition has been fully corrected under the direction of a qualified professional. Goodrich Global will not be responsible for any performance or quality issues if moisture problems are not addressed before or following installation.

HANGING GUIDELINES

Wallcovering rolls are numbered consecutively and should be cut and installed in reverse sequence, starting with the highest numbered roll. All strips should be hung in sequence as they are cut from the roll, using full widths of material, whenever possible. Install the wallcovering under permanent lighting conditions to evaluate colour and texture uniformity.

When hanging non-reversible or matching patterns, measure the wall height, allowing for pattern match, add 4", and table trim using a straight edge to ensure alignment across seams. Large, dominant pattern repeats require more careful planning as far as starting point, ceiling line, chair rails, door/window headers, etc. Patterns are meant to match at eye level and may run off slightly at the top and bottom of the wall. When hanging textured or random-match patterns, reverse hang alternate strips for a more uniform appearance; overlap and double cut, being careful not to score the wall. If the pattern effect is not acceptable after three strips are hung, re-hang strip #2 without reversing.

If any defect, colour variation, or unacceptable pattern effect is noticeable after three panels are cut and hung, STOP and contact Goodrich Global immediately. Goodrich Global cannot accept any claims on labour or material after more than three lengths have been installed.

ADHESIVE APPLICATION

Apply a uniform coat of a premixed vinyl wallcovering adhesive to the back of the material using a short-napped paint roller or stiff bristle brush (a pasting machine can be used at the installer's discretion). Goodrich WA202 adhesive is recommended for heavyweight vinyl wallcovering. Fold each sheet over and allow up to 10 minutes booking time for the adhesive to penetrate the backing of the lightweight vinyl material (up to 15 minutes for heavyweight vinyl), and to avoid paste drying at the edges.

Goodrich WA202 Wallcovering Adhesive :

- Specially formulated for all types of contract wallcoverings
- Non Hazardous, Non Toxic, Non Flammable, Non-Staining
- Solvent Free and Formaldehyde Free
- VOC is 0.45mg/kg
- Made in England

SINGAPORE GREEN BUILDING PRODUCT SGBC VERY GOOD

Complies to :

- Regulation (EC No 1907/2006)
- CLP European Regulation (EC) No 1272/2008
- BS3046/1981



INSTALLATION

Hang the first strip to a plumb line, overlapping the ceiling and baseboard, within 12 minutes of paste application. Use a stiff bristle brush to ensure that the wallcovering makes contact with the wall. A plastic smoother can also be used on non-metallic Vinyls, providing only light pressure is applied (do not use sharp-edged tools). Smooth from the middle to the outside edges, being careful not to stretch the material, and work out all air bubbles. Trim at the ceiling and baseboard with a sharp razor blade. For matched patterns, butt the second strip to the edge of the first and smooth out firmly. When double cutting non-matching patterns, place a 2-3" wide strip behind the seam to avoid scoring the wall. Flatten seams exerting light pressure with a seam roller. Low-adhesive painter's tape can be used to keep the face of the seams clean. Before applying the next strip, trim the top and bottom as with the first panel, and proceed in the same manner around the room.

Avoid cutting narrow widths of material for placement above doors and below windows. Vertical joints should not occur less than six inches from inside or outside corners. When trimming at chair rails and ceilings, always use a broad knife rather than a straight edge. Take extra care in keeping the adhesive off the face of the wallcovering.

Remove excess adhesive immediately with a natural sponge, frequently rinsed in clear, warm water, and dry with a soft, lint free cloth. After installation, the walls and wallcovering should be monitored for potential moisture or vapour infiltration, which must be promptly eliminated.

MAINTENANCE

Most wallcovering is easily cleaned using clear, warm water and mild soap with a natural sponge. A soft cloth or towel should only be used to tamp dry (do not rub). Stubborn stains can be removed with a laundry spot remover or rubbing alcohol. Do not use solvent-based cleaning agents, lacquer thinners, nail polish remover, pine oil, or cleaning agents containing bleach, which may cause discoloration over time.

Note: The above is intended only as a guideline. Wallcovering installations must conform to current hanging instructions included with each shipment. The installer has final responsibility for proper installation and evaluation of jobsite conditions.

GOODRICH SOLUTIONS

WALLCOVERING

162 | VIBRANT

WITH GOODRICH,

Your habitat becomes

A gallery of
Your **self-expressions**;

A canvas for
Your **creativity**;

A space for
Your **soul**;

A showcase of
Your **taste for life**;

WIDE WALL

Stay Connected - www.goodrichglobal.com | info@goodrichglobal.com

/Goodrich.Global.Singapore /goodrich_global /GoodrichGlobal
/goodrichglobal /goodrichglobal /GoodrichGlobalOfficial

SINGAPORE (HQ) | MALAYSIA | THAILAND | VIETNAM | INDIA | INDONESIA | UNITED ARAB EMIRATES | PHILIPPINES | CHINA | HONG KONG (CHINA)

Copyright © 2025 Goodrich Global. All rights reserved.